



GRODYL MAXI OD375 12 X 1 L BOT UA

Version 5 /
102000008346

1/12
Revision Date: 16.06.2017
Print Date: 14.11.2017

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Trade name GRODYL MAXI OD375 12 X 1 L BOT UA
Product code (UVP) 06281230, 85394827

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use Herbicide

1.3 Details of the supplier of the safety data sheet

Supplier Bayer AG
Kaiser-Wilhelm-Allee 1
51373 Leverkusen
Germany

Telefax +49(0)2173-38-7394

Responsible Department Substance Classification & Registration
+49(0)2173-38-3409 (during business hours only)
Email: BCS-SDS@bayer.com

1.4 Emergency telephone no.

Emergency telephone no. Global Incident Response Hotline (24h)
+1 (760) 476-3964 (Company 3E for Bayer AG, Crop Science Division)

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Skin sensitisation: Category 1
H317 May cause an allergic skin reaction.

Eye irritation: Category 2
H319 Causes serious eye irritation.

Acute aquatic toxicity: Category 1
H400 Very toxic to aquatic life.

Chronic aquatic toxicity: Category 1
H410 Very toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Hazard label for supply/use required.

Hazardous components which must be listed on the label:

**GRODYL MAXI OD375 12 X 1 L BOT UA**Version 5 /
1020000083462/12
Revision Date: 16.06.2017
Print Date: 14.11.2017

- Amidosulfuron
- Iodosulfuron-methyl-sodium
- Mefenpyr-diethyl
- Solvent Naphtha (petroleum), heavy aromatic

**Signal word:** Warning**Hazard statements**

- H317 May cause an allergic skin reaction.
 H319 Causes serious eye irritation.
 H410 Very toxic to aquatic life with long lasting effects.
 EUH066 Repeated exposure may cause skin dryness or cracking.
 EUH401 To avoid risks to human health and the environment, comply with the instructions for use.

Precautionary statements

- P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
 P308 + P311 IF exposed or concerned: Call a POISON CENTER/ doctor/ physician.
 P501 Dispose of contents/container in accordance with local regulation.

2.3 Other hazards

No other hazards known.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**3.2 Mixtures****Chemical nature**

Oil dispersion (OD)

Amidosulfuron-sodium.Iodosulfuron-methyl-sodium/Mefenpyr-diethyl 106:25:250 g/l

Hazardous components

Hazard statements according to Regulation (EC) No. 1272/2008

Name	CAS-No. / EC-No. / REACH Reg. No.	Classification	Conc. [%]
		REGULATION (EC) No 1272/2008	
Amidosulfuron-sodium	596120-00-2	Aquatic Acute 1, H400 Aquatic Chronic 1, H410	9,4
Iodosulfuron-methyl-sodium	144550-36-7	Aquatic Acute 1, H400 Aquatic Chronic 1, H410	2,21
Mefenpyr-diethyl	135590-91-9	Aquatic Chronic 2, H411	22,1
Solvent Naphtha (petroleum), heavy aromatic	64742-94-5 265-198-5 01-2119451097-39-xxxx	Asp. Tox. 1, H304 Aquatic Chronic 2, H411	> 25
Solvent Naphtha (petroleum), light aromatic	64742-95-6 265-199-0	Flam. Liq. 3, H226 STOT SE 3, H336	> 2,5 – < 10



GRODYL MAXI OD375 12 X 1 L BOT UA

Version 5 /
1020000083463/12
Revision Date: 16.06.2017
Print Date: 14.11.2017

	01-2119486773-24-xxxx	STOT SE 3, H335 Asp. Tox. 1, H304 Aquatic Chronic 2, H411	
Docusate sodium	577-11-7 209-406-4	Eye Dam. 1, H318 Skin Irrit. 2, H315	> 5 – < 20
Fatty alcohol ethoxylate alkyl ether	1492044-51-5	Eye Dam. 1, H318 Aquatic Chronic 2, H411	> 2,5 – < 10
Sodium carbonate	497-19-8 207-838-8	Eye Irrit. 2, H319	<= 1

Further information

Iodosulfuron- methyl-sodium	144550-36-7	M-Factor: 1.000 (acute)
--------------------------------	-------------	-------------------------

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

General advice	Move out of dangerous area. Place and transport victim in stable position (lying sideways). Remove contaminated clothing immediately and dispose of safely.
Inhalation	Move to fresh air. Keep patient warm and at rest. Call a physician or poison control center immediately.
Skin contact	Wash off thoroughly with plenty of soap and water, if available with polyethyleneglycol 400, subsequently rinse with water. If symptoms persist, call a physician.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. If eye irritation or redness persists, see an ophthalmologist.
Ingestion	Do NOT induce vomiting. Call a physician or poison control center immediately. Risk of product entering the lungs on vomiting after ingestion. Rinse mouth.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms	If large amounts are ingested, the following symptoms may occur:
	Headache, Nausea, Dizziness, Somnolence
	Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea.
	Aspiration may cause pulmonary oedema and pneumonitis.
	Inhalation may provoke the following symptoms:
	Cough, Shortness of breath, Cyanosis, Fever
	Symptoms and hazards refer to the solvent.



GRODYL MAXI OD375 12 X 1 L BOT UA

Version 5 /
102000008346

4/12
Revision Date: 16.06.2017
Print Date: 14.11.2017

4.3 Indication of any immediate medical attention and special treatment needed

Risks	Contains hydrocarbon solvents. May pose an aspiration pneumonia hazard.
Treatment	Treat symptomatically. Gastric lavage is not normally required. However, if a significant amount (more than a mouthful) has been ingested, administer activated charcoal and sodium sulphate. In case of aspiration intubation and bronchial lavage should be considered. Monitor: kidney, liver and pancreas function. There is no specific antidote. Contraindication: derivatives of adrenaline.

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Unsuitable	High volume water jet

5.2 Special hazards arising from the substance or mixture In the event of fire the following may be released: Hydrogen chloride (HCl), Hydrogen cyanide (hydrocyanic acid), Carbon monoxide (CO), Nitrogen oxides (NOx), Sulphur oxides

5.3 Advice for firefighters

Special protective equipment for firefighters	In the event of fire and/or explosion do not breathe fumes. In the event of fire, wear self-contained breathing apparatus.
Further information	Contain the spread of the fire-fighting media. Do not allow run-off from fire fighting to enter drains or water courses.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Precautions	Avoid contact with spilled product or contaminated surfaces. Use personal protective equipment.
--------------------	---

6.2 Environmental precautions Do not allow to get into surface water, drains and ground water.

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Clean contaminated floors and objects thoroughly, observing environmental regulations. Keep in suitable, closed containers for disposal.
--------------------------------	---

6.4 Reference to other sections Information regarding safe handling, see section 7.
Information regarding personal protective equipment, see section 8.
Information regarding waste disposal, see section 13.



GRODYL MAXI OD375 12 X 1 L BOT UA

Version 5 /
1020000083465/12
Revision Date: 16.06.2017
Print Date: 14.11.2017

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Advice on safe handling Use only in area provided with appropriate exhaust ventilation.**Hygiene measures** Avoid contact with skin, eyes and clothing. Keep working clothes separately. Wash thoroughly with soap and water after handling. Wash hands immediately after work, if necessary take a shower. Remove soiled clothing immediately and clean thoroughly before using again. Garments that cannot be cleaned must be destroyed (burnt).

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers Store in original container. Keep containers tightly closed in a dry, cool and well-ventilated place. Store in a place accessible by authorized persons only. Store bulk material and packed materials in a closed warehouse or under cover protected against direct sunlight and frost.**Advice on common storage** Keep away from food, drink and animal feedingstuffs.**Suitable materials** Coex HDPE/PA
Coex HDPE/EVOH/HDPE**7.3 Specific end use(s)** Refer to the label and/or leaflet.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Amidosulfuron	120923-37-7	5,5 mg/m ³ (TWA)		OES BCS*
Iodosulfuron-methyl-sodium	144550-36-7	1 mg/m ³ (TWA)		OES BCS*
Mefenpyr-diethyl	135590-91-9	10 mg/m ³ (TWA)		OES BCS*
Solvent Naphtha (petroleum), light aromatic	64742-95-6	116 mg/m ³ /20 ppm (TWA)	2014	EU SCOELS
Solvent Naphtha (petroleum), light aromatic	64742-95-6	290 mg/m ³ /50 ppm (STEL)	2014	EU SCOELS
Sodium carbonate	497-19-8	10 mg/m ³ (TWA)		OES BCS*

*OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

8.2 Exposure controls

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection

Respiratory protection is not required under anticipated circumstances of exposure.

Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have

**GRODYL MAXI OD375 12 X 1 L BOT UA**Version 5 /
1020000083466/12
Revision Date: 16.06.2017
Print Date: 14.11.2017

been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's instructions regarding wearing and maintenance.

Hand protection

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.

Wash gloves when contaminated. Dispose of when contaminated inside, when perforated or when contamination on the outside cannot be removed. Wash hands frequently and always before eating, drinking, smoking or using the toilet.

Material	Nitrile rubber
Rate of permeability	> 480 min
Glove thickness	> 0,4 mm
Protective index	Class 6
Directive	Protective gloves complying with EN 374.

Eye protection

Wear goggles (conforming to EN166, Field of Use = 5 or equivalent).

Skin and body protection

Wear standard coveralls and Category 3 Type 4 suit.

If there is a risk of significant exposure, consider a higher protective type suit.

Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and should be professionally laundered frequently.

If chemical protection suit is splashed, sprayed or significantly contaminated, decontaminate as far as possible, then carefully remove and dispose of as advised by manufacturer.

General protective measures

If product is handled while not enclosed, and if contact may occur: Complete suit protecting against chemicals

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**9.1 Information on basic physical and chemical properties**

Form	Liquid
Colour	yellow to light brown
Odour	aromatic
pH	9,5 - 11,0 at 10 % (23 °C) (deionized water)
Flash point	83 - 92 °C
Auto-ignition temperature	440 °C
Density	ca. 1,13 g/cm ³ at 20 °C
Water solubility	dispersible
Partition coefficient: n-octanol/water	Amidosulfuron: log Pow: -1,56 at 22 °C at pH 7 Iodosulfuron-methyl-sodium: log Pow: -0,7 Mefenpyr-diethyl: log Pow: 3,83 at 21 °C



GRODYL MAXI OD375 12 X 1 L BOT UA

Version 5 /
102000008346

7/12
Revision Date: 16.06.2017
Print Date: 14.11.2017

	Solvent Naphtha (petroleum), light aromatic: Not applicable
Viscosity, dynamic	120 - 300 mPa.s at 20 °C Velocity gradient 20 /s 100 - 250 mPa.s at 20 °C Velocity gradient 100 /s
Viscosity, kinematic	ca. 113 mm ² /s at 40 °C Shear rate of 100/sec ca. 203 mm ² /s at 40 °C Shear rate of 20/sec
Surface tension	30,7 mN/m at 25 °C Determined in the undiluted form.
Oxidizing properties	No oxidizing properties
Explosivity	Not explosive 92/69/EEC, A.14 / OECD 113
9.2 Other information	Further safety related physical-chemical data are not known.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

Thermal decomposition Stable under normal conditions.

10.2 Chemical stability Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions No dangerous reaction known under conditions of normal use.

10.4 Conditions to avoid Extremes of temperature and direct sunlight.

10.5 Incompatible materials Store only in the original container.

10.6 Hazardous decomposition products No decomposition products expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute oral toxicity LD50 (Rat) > 5.000 mg/kg

Acute inhalation toxicity LC50 (Rat) > 1,339 mg/l
Exposure time: 4 h
Determined in the form of a respirable aerosol.
Highest attainable concentration.

Acute dermal toxicity LD50 (Rat) > 4.000 mg/kg

Skin irritation No skin irritation (Rabbit)

Eye irritation Irritating to eyes. (Rabbit)

Sensitisation Non-sensitizing. (Guinea pig)
OECD Test Guideline 406, Buehler test
Sensitising (Mouse)



GRODYL MAXI OD375 12 X 1 L BOT UA

Version 5 /
102000008346

8/12
Revision Date: 16.06.2017
Print Date: 14.11.2017

OECD Test Guideline 429, local lymph node assay (LLNA)

Assessment STOT Specific target organ toxicity – single exposure

Amidosulfuron: Based on available data, the classification criteria are not met.

Iodosulfuron-methyl-sodium: Based on available data, the classification criteria are not met.

Mefenpyr-diethyl: Based on available data, the classification criteria are not met.

Solvent Naphtha (petroleum), light aromatic: May cause respiratory irritation., Solvent Naphtha (petroleum), light aromatic: May cause drowsiness or dizziness.

Assessment STOT Specific target organ toxicity – repeated exposure

Amidosulfuron did not cause specific target organ toxicity in experimental animal studies.

Iodosulfuron-methyl-sodium did not cause specific target organ toxicity in experimental animal studies.

Mefenpyr-diethyl did not cause specific target organ toxicity in experimental animal studies.

Solvent Naphtha (petroleum), light aromatic: Based on available data, the classification criteria are not met.

Assessment mutagenicity

Amidosulfuron was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Iodosulfuron-methyl-sodium was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Mefenpyr-diethyl was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Solvent Naphtha (petroleum), light aromatic is not considered mutagenic.

Assessment carcinogenicity

Amidosulfuron was not carcinogenic in lifetime feeding studies in rats and mice.

Iodosulfuron-methyl-sodium was not carcinogenic in lifetime feeding studies in rats and mice.

Mefenpyr-diethyl was not carcinogenic in lifetime feeding studies in rats and mice.

Solvent Naphtha (petroleum), light aromatic: Based on available data, the classification criteria are not met.

Assessment toxicity to reproduction

Amidosulfuron did not cause reproductive toxicity in a two-generation study in rats.

Iodosulfuron-methyl-sodium did not cause reproductive toxicity in a two-generation study in rats.

Mefenpyr-diethyl did not cause reproductive toxicity in a two-generation study in rats.

Solvent Naphtha (petroleum), light aromatic: Based on available data, the classification criteria are not met.

Assessment developmental toxicity

Amidosulfuron did not cause developmental toxicity in rats and rabbits.

Iodosulfuron-methyl-sodium did not cause developmental toxicity in rats and rabbits.

Mefenpyr-diethyl caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Mefenpyr-diethyl are related to maternal toxicity.

Solvent Naphtha (petroleum), light aromatic: This information is not available.

Aspiration hazard

Based on available data, the classification criteria are not met.

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicity to fish

LC50 (Oncorhynchus mykiss (rainbow trout)) 8,59 mg/l



GRODYL MAXI OD375 12 X 1 L BOT UA

Version 5 /
102000008346

9/12
Revision Date: 16.06.2017
Print Date: 14.11.2017

	Exposure time: 96 h
Toxicity to aquatic invertebrates	EC50 (Daphnia magna (Water flea)) 14,6 mg/l Exposure time: 48 h
Toxicity to aquatic plants	IC50 (Raphidocelis subcapitata (freshwater green alga)) 9,97 mg/l Growth rate; Exposure time: 72 h IC50 (Lemna gibba (gibbous duckweed)) 0,0187 mg/l Growth rate; Exposure time: 7 d

12.2 Persistence and degradability

Biodegradability	Amidosulfuron: Not rapidly biodegradable Iodosulfuron-methyl-sodium: Not rapidly biodegradable Mefenpyr-diethyl: Not rapidly biodegradable Solvent Naphtha (petroleum), light aromatic: rapidly biodegradable
-------------------------	--

Koc	Amidosulfuron: Koc: 36 Iodosulfuron-methyl-sodium: Koc: 45 Mefenpyr-diethyl: Koc: 625
------------	---

12.3 Bioaccumulative potential

Bioaccumulation	Amidosulfuron: Does not bioaccumulate. Iodosulfuron-methyl-sodium: Does not bioaccumulate. Mefenpyr-diethyl: Bioconcentration factor (BCF) 232 Does not bioaccumulate. Solvent Naphtha (petroleum), light aromatic: No data available
------------------------	--

12.4 Mobility in soil

Mobility in soil	Amidosulfuron: Mobile in soils Iodosulfuron-methyl-sodium: Mobile in soils Mefenpyr-diethyl: Slightly mobile in soils Solvent Naphtha (petroleum), light aromatic: Slightly mobile in soils
-------------------------	--

12.5 Results of PBT and vPvB assessment

PBT and vPvB assessment	Amidosulfuron: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB). Iodosulfuron-methyl-sodium: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB). Mefenpyr-diethyl: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB). Solvent Naphtha (petroleum), light aromatic: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).
--------------------------------	--



GRODYL MAXI OD375 12 X 1 L BOT UA

Version 5 /
102000008346

10/12
Revision Date: 16.06.2017
Print Date: 14.11.2017

12.6 Other adverse effects

Additional ecological information No other effects to be mentioned.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product In accordance with current regulations and, if necessary, after consultation with the site operator and/or with the responsible authority, the product may be taken to a waste disposal site or incineration plant.

Contaminated packaging Not completely emptied packagings should be disposed of as hazardous waste.

Waste key for the unused product **02 01 08*** agrochemical waste containing hazardous substances

SECTION 14: TRANSPORT INFORMATION

ADR/RID/ADN

14.1 UN number **3082**

14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (IODOSULFURON-METHYL SODIUM/SOLVENT NAPHTHA (PETROLEUM) HEAVY AROMATIC MIXTURE)

14.3 Transport hazard class(es) 9

14.4 Packing group III

14.5 Environm. Hazardous Mark YES

Hazard no. 90

This classification is in principle not valid for carriage by tank vessel on inland waterways. Please refer to the manufacturer for further information.

IMDG

14.1 UN number **3082**

14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (IODOSULFURON-METHYL SODIUM/SOLVENT NAPHTHA (PETROLEUM) HEAVY AROMATIC MIXTURE)

14.3 Transport hazard class(es) 9

14.4 Packing group III

14.5 Marine pollutant YES

IATA

14.1 UN number **3082**

14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (IODOSULFURON-METHYL SODIUM/SOLVENT NAPHTHA (PETROLEUM) HEAVY AROMATIC MIXTURE)

14.3 Transport hazard class(es) 9



GRODYL MAXI OD375 12 X 1 L BOT UA

Version 5 /
102000008346

11/12
Revision Date: 16.06.2017
Print Date: 14.11.2017

14.4 Packing group III
14.5 Environm. Hazardous Mark YES

14.6 Special precautions for user

See sections 6 to 8 of this Safety Data Sheet.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

No transport in bulk according to the IBC Code.

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Further information

WHO-classification: U (Unlikely to present acute hazard in normal use)

15.2 Chemical Safety Assessment

A chemical safety assessment is not required.

SECTION 16: OTHER INFORMATION

Text of the hazard statements mentioned in Section 3

H226	Flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

Abbreviations and acronyms

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute toxicity estimate
CAS-Nr.	Chemical Abstracts Service number
Conc.	Concentration
EC-No.	European community number
ECx	Effective concentration to x %
EINECS	European inventory of existing commercial substances
ELINCS	European list of notified chemical substances
EN	European Standard
EU	European Union
IATA	International Air Transport Association
IBC	International Code for the Construction and Equipment of Ships Carrying Dangerous

**GRODYL MAXI OD375 12 X 1 L BOT UA**Version 5 /
1020000834612/12
Revision Date: 16.06.2017
Print Date: 14.11.2017

	Chemicals in Bulk (IBC Code)
ICx	Inhibition concentration to x %
IMDG	International Maritime Dangerous Goods
LCx	Lethal concentration to x %
LDx	Lethal dose to x %
LOEC/LOEL	Lowest observed effect concentration/level
MARPOL	MARPOL: International Convention for the prevention of marine pollution from ships
N.O.S.	Not otherwise specified
NOEC/NOEL	No observed effect concentration/level
OECD	Organization for Economic Co-operation and Development
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
TWA	Time weighted average
UN	United Nations
WHO	World health organisation

The information contained within this Safety Data Sheet is in accordance with the guidelines established by Regulation (EU) 1907/2006 and Regulation (EU) 2015/830 amending Regulation (EU) No 1907/2006 and any subsequent amendments. This data sheet complements the user's instructions, but does not replace them. The information it contains is based on the knowledge available about the product concerned at the time it was compiled. Users are further reminded of the possible risks of using a product for purposes other than those for which it was intended. The required information complies with current EEC legislation. Addressees are requested to observe any additional national requirements.

Reason for Revision: The following sections have been revised: Section 2: Hazards Identification. Section 8: Exposure Controls / Personal Protection. Section 11: Toxicological information on STOT (Specific Target Organ Toxicity) and CMR (Carcinogenic, Mutagenic and toxic to Reproduction). Section 12. Ecological information. Section 16: Other Information.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.