



## **ANTRACOL WP70 1X10KG BAG UA**

Version 4 / EU  
102000007039

1/9  
Revision Date: 28.04.2016  
Print Date: 14.11.2017

### **SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**

#### **1.1 Product identifier**

**Trade name** ANTRACOL WP70 1X10KG BAG UA  
**Product code (UVP)** 04479696

#### **1.2 Relevant identified uses of the substance or mixture and uses advised against**

**Use** Fungicide

#### **1.3 Details of the supplier of the safety data sheet**

**Supplier** Bayer AG  
Kaiser-Wilhelm-Allee 1  
51373 Leverkusen  
Germany

**Telefax** +49(0)2173-38-7394

**Responsible Department** Substance Classification & Registration  
+49(0)2173-38-3409 (during business hours only)  
Email: BCS-SDS@bayer.com

#### **1.4 Emergency telephone no.**

**Emergency telephone no.** Global Incident Response Hotline (24h)  
+1 (760) 476-3964 (Company 3E for Bayer AG, Crop Science Division)

### **SECTION 2: HAZARDS IDENTIFICATION**

#### **2.1 Classification of the substance or mixture**

**Classification in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.**

Acute toxicity: Category 4  
H332 Harmful if inhaled.

Skin sensitisation: Category 1  
H317 May cause an allergic skin reaction.

Specific target organ toxicity - repeated exposure: Category 2  
H373 May cause damage to organs (Thyroid, Peripheral nervous system) through prolonged or repeated exposure if inhaled or swallowed.

Chronic aquatic toxicity: Category 2  
H411 Toxic to aquatic life with long lasting effects.

#### **2.2 Label elements**

**Labelling in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.**

Labelling according to EC Directives

**Hazardous components which must be listed on the label:**

- Propineb



**ANTRACOL WP70 1X10KG BAG UA**

Version 4 / EU  
102000007039

2/9  
Revision Date: 28.04.2016  
Print Date: 14.11.2017



**Signal word:** Warning

**Hazard statements**

- H332 Harmful if inhaled.
- H317 May cause an allergic skin reaction.
- H373 May cause damage to organs (Thyroid, Peripheral nervous system) through prolonged or repeated exposure if inhaled or swallowed.
- H411 Toxic to aquatic life with long lasting effects.
- EUH401 To avoid risks to human health and the environment, comply with the instructions for use.

**Precautionary statements**

- P273 Avoid release to the environment.
- P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
- P314 Get medical advice/ attention if you feel unwell.
- P501 Dispose of contents/container as hazardous waste to an approved waste disposal plant.

**2.3 Other hazards**

Dust may form explosive mixture in air.

**SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

**3.2 Mixtures**

**Chemical nature**

Wettable powder (WP)  
Propineb 700g/kg

**Hazardous components**

Hazard statements according to Regulation (EC) No. 1272/2008

Name	CAS-No. / EC-No. / REACH Reg. No.	Classification	Conc. [%]
		Regulation (EC) No 1272/2008	
Propineb	9016-72-2	Skin Sens. 1, H317 STOT RE 2, H373 Acute Tox. 4, H332 Aquatic Acute 1, H400	70
Methenamine	100-97-0 202-905-8	Flam. Sol. 2, H228 Skin Sens. 1, H317	0,7

**Further information**

For the full text of the H-Statements mentioned in this Section, see Section 16.



**ANTRACOL WP70 1X10KG BAG UA**

Version 4 / EU  
102000007039

3/9  
Revision Date: 28.04.2016  
Print Date: 14.11.2017

---

**SECTION 4: FIRST AID MEASURES**

**4.1 Description of first aid measures**

<b>Inhalation</b>	Move to fresh air. Keep patient warm and at rest. Call a physician or poison control center immediately.
<b>Skin contact</b>	Wash off thoroughly with plenty of soap and water, if available with polyethyleneglycol 400, subsequently rinse with water.
<b>Eye contact</b>	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Get medical attention if irritation develops and persists.
<b>Ingestion</b>	Do NOT induce vomiting. Call a physician or poison control center immediately. Rinse mouth.

**4.2 Most important symptoms and effects, both acute and delayed**

**Symptoms** Symptoms reinforced by alcohol (Antabuse effect)

**4.3 Indication of any immediate medical attention and special treatment needed**

**Treatment** Treat symptomatically. In case of ingestion gastric lavage should be considered in cases of significant ingestions only within the first 2 hours. However, the application of activated charcoal and sodium sulphate is always advisable. Follow-up measures: Strict abstinence from alcohol for 1 to 2 weeks, due to antabuse effect.

---

**SECTION 5: FIREFIGHTING MEASURES**

**5.1 Extinguishing media**

**Suitable** Water spray, Carbon dioxide (CO<sub>2</sub>), Foam, Sand

**5.2 Special hazards arising from the substance or mixture** In the event of fire the following may be released: Hydrogen cyanide (hydrocyanic acid), Carbon monoxide (CO), Nitrogen oxides (NO<sub>x</sub>), Sulphur oxides

**5.3 Advice for firefighters**

**Special protective equipment for firefighters** In the event of fire, wear self-contained breathing apparatus.

**Further information** Contain the spread of the fire-fighting media. Do not allow run-off from fire fighting to enter drains or water courses.

---

**SECTION 6: ACCIDENTAL RELEASE MEASURES**

**6.1 Personal precautions, protective equipment and emergency procedures**

**Precautions** Avoid contact with spilled product or contaminated surfaces. Use personal protective equipment.

**6.2 Environmental precautions** Do not allow to get into surface water, drains and ground water.

**ANTRACOL WP70 1X10KG BAG UA**Version 4 / EU  
1020000070394/9  
Revision Date: 28.04.2016  
Print Date: 14.11.2017**6.3 Methods and materials for containment and cleaning up**

**Methods for cleaning up** Clean contaminated floors and objects thoroughly, observing environmental regulations. Keep in suitable, closed containers for disposal.

**6.4 Reference to other sections** Information regarding personal protective equipment, see section 8. Information regarding waste disposal, see section 13.

**SECTION 7: HANDLING AND STORAGE****7.1 Precautions for safe handling**

**Advice on safe handling** Use only in area provided with appropriate exhaust ventilation.

**Advice on protection against fire and explosion** Keep away from heat and sources of ignition. Dust may form explosive mixture in air.

**Hygiene measures** Avoid contact with skin, eyes and clothing. Keep working clothes separately. Wash hands immediately after work, if necessary take a shower. Remove soiled clothing immediately and clean thoroughly before using again. Garments that cannot be cleaned must be destroyed (burnt).

**7.2 Conditions for safe storage, including any incompatibilities**

**Requirements for storage areas and containers** Keep containers tightly closed in a dry, cool and well-ventilated place. Store in original container. Store in a place accessible by authorized persons only.

**Advice on common storage** Keep away from food, drink and animal feedingstuffs.

**7.3 Specific end use(s)** Refer to the label and/or leaflet.

**SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION****8.1 Control parameters**

Components	CAS-No.	Control parameters	Update	Basis
Propineb	9016-72-2	0,2 mg/m <sup>3</sup> (SK-SEN)		OES BCS*

\*OES BCS: Internal Bayer CropScience "Occupational Exposure Standard"

**8.2 Exposure controls****Personal protective equipment**

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

**Respiratory protection** Wear respirator with a particle filter mask (protection factor 20) conforming to European Norm EN149FFP3 or EN140P3 or equivalent.  
Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's instructions regarding wearing and maintenance.

**ANTRACOL WP70 1X10KG BAG UA**Version 4 / EU  
1020000070395/9  
Revision Date: 28.04.2016  
Print Date: 14.11.2017

<b>Hand protection</b>	Wear CE Marked (or equivalent) nitrile rubber gloves (minimum thickness of 0,4 mm). Wash when contaminated and dispose of when contaminated inside, when perforated or when contamination on the outside cannot be removed. Wash hands frequently and always before eating, drinking, smoking or using the toilet.
<b>Eye protection</b>	Wear goggles (conforming to EN166, Field of Use = 5 or equivalent).
<b>Skin and body protection</b>	Wear standard coveralls and Category 3 Type 3 suit. Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and should be professionally laundered frequently.

**SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES****9.1 Information on basic physical and chemical properties**

<b>Form</b>	powder
<b>Colour</b>	beige
<b>Odour</b>	weak, characteristic
<b>pH</b>	4,0 - 8,0 at 1 % (23 °C) (deionized water)
<b>Melting point/range</b>	ca. 135 °C
<b>Flammability (solid, gas)</b>	The product is not highly flammable.
<b>Auto-ignition temperature</b>	The product is not self-ignitable.
<b>Dust explosion class</b>	capable of causing a dust explosion (modified Hartmann tube, ignition with continuous spark generator)
<b>Water solubility</b>	dispersible
<b>Partition coefficient: n-octanol/water</b>	Propineb: log Pow: < 3
<b>Impact sensitivity</b>	Not impact sensitive.
<b>Burning number</b>	CN3 Local combustion without spreading
<b>Explosivity</b>	Not explosive 92/69/EEC, A.14 / OECD 113
<b>9.2 Other information</b>	Further safety related physical-chemical data are not known.

**SECTION 10: STABILITY AND REACTIVITY****10.1 Reactivity****Thermal decomposition** Stable under normal conditions.**10.2 Chemical stability** Stable under recommended storage conditions.**10.3 Possibility of hazardous reactions** No hazardous reactions when stored and handled according to prescribed instructions.



**ANTRACOL WP70 1X10KG BAG UA**

Version 4 / EU  
102000007039

6/9  
Revision Date: 28.04.2016  
Print Date: 14.11.2017

**10.4 Conditions to avoid** Extremes of temperature and direct sunlight.

**10.5 Incompatible materials** Acids

**10.6 Hazardous decomposition products** Hydrogen sulfide  
Carbon disulphide

---

**SECTION 11: TOXICOLOGICAL INFORMATION**

**11.1 Information on toxicological effects**

**Acute oral toxicity** LD50 (Rat) 3.708 mg/kg

**Acute inhalation toxicity** LC50 (Rat) ca. 5,040 mg/l  
Determined in the form of a respirable fine dust.

**Acute dermal toxicity** LD50 (Rat) > 5.000 mg/kg

**Skin irritation** No skin irritation (Rabbit)

**Eye irritation** No eye irritation (Rabbit)

**Sensitisation** Sensitising (Guinea pig)  
OECD Test Guideline 406, Magnusson & Kligman test

**Assessment repeated dose toxicity**

Propineb caused specific target organ toxicity in experimental animal studies in the following organ(s): Peripheral nervous system, Thyroid. Propineb caused muscular weakness in animal studies. The observed effects do not appear to be relevant for humans.

**Assessment mutagenicity**

Propineb was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.

**Assessment carcinogenicity**

Propineb caused an increased incidence of tumours in mice in the following organ(s): Liver. The mechanism that triggers tumours in rodents and the type of tumours observed are not relevant to humans.

**Assessment toxicity to reproduction**

Propineb caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Propineb is related to parental toxicity.

**Assessment developmental toxicity**

Propineb did not cause developmental toxicity in rabbits. Propineb caused developmental toxicity in rats only at dose levels toxic to the dams. The developmental effects seen with Propineb are related to maternal toxicity.

---

**SECTION 12: ECOLOGICAL INFORMATION**

**12.1 Toxicity**

**Toxicity to fish** LC50 (Oncorhynchus mykiss (rainbow trout)) 6,7 mg/l  
Exposure time: 96 h



**ANTRACOL WP70 1X10KG BAG UA**

Version 4 / EU  
102000007039

7/9  
Revision Date: 28.04.2016  
Print Date: 14.11.2017

**Toxicity to aquatic invertebrates** EC50 (Daphnia magna (Water flea)) 4,7 mg/l  
Exposure time: 48 h  
The value mentioned relates to the active ingredient propineb.

**Chronic toxicity to aquatic invertebrates** NOEC (Daphnia (water flea)): 0,0175 mg/l  
Exposure time: 21 d  
Test conducted with a similar formulation.

**Toxicity to aquatic plants** EC50 (Desmodesmus subspicatus (green algae)) 2,4 mg/l  
Exposure time: 96 h  
Test conducted with a similar formulation.

**12.2 Persistence and degradability**

**Biodegradability** Propineb:  
rapidly biodegradable

**Koc** Propineb: Koc: 18

**12.3 Bioaccumulative potential**

**Bioaccumulation** Propineb:  
Does not bioaccumulate.

**12.4 Mobility in soil**

**Mobility in soil** Propineb: Mobile in soils

**12.5 Results of PBT and vPvB assessment**

**PBT and vPvB assessment** Propineb: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).

**12.6 Other adverse effects**

**Additional ecological information** No other effects to be mentioned.

---

**SECTION 13: DISPOSAL CONSIDERATIONS**

**13.1 Waste treatment methods**

**Product** In accordance with current regulations and, if necessary, after consultation with the site operator and/or with the responsible authority, the product may be taken to a waste disposal site or incineration plant.

**Waste key for the unused product** **02 01 08\*** agrochemical waste containing dangerous substances

---

**SECTION 14: TRANSPORT INFORMATION**

**ADR/RID/ADN**

14.1 UN number

14.2 Proper shipping name

**3077**

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,  
N.O.S.



**ANTRACOL WP70 1X10KG BAG UA**

Version 4 / EU  
102000007039

8/9  
Revision Date: 28.04.2016  
Print Date: 14.11.2017

	(PROPINEB MIXTURE)
14.3 Transport hazard class(es)	9
14.4 Packing group	III
14.5 Environm. Hazardous Mark	YES
Hazard no.	90
Tunnel Code	E

This classification is in principle not valid for carriage by tank vessel on inland waterways. Please refer to the manufacturer for further information.

**IMDG**

14.1 UN number	<b>3077</b>
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (PROPINEB MIXTURE)
14.3 Transport hazard class(es)	9
14.4 Packing group	III
14.5 Marine pollutant	YES

**IATA**

14.1 UN number	<b>3077</b>
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (PROPINEB MIXTURE )
14.3 Transport hazard class(es)	9
14.4 Packing group	III
14.5 Environm. Hazardous Mark	YES

**14.6 Special precautions for user**

See sections 6 to 8 of this Safety Data Sheet.

**14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code**

No transport in bulk according to the IBC Code.

---

**SECTION 15: REGULATORY INFORMATION**

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

**Further information**

WHO-classification: III (Slightly hazardous)

**15.2 Chemical Safety Assessment**

A chemical safety assessment is not required.

---

**SECTION 16: OTHER INFORMATION**

**Text of the hazard statements mentioned in Section 3**

H228 Flammable solid.  
H317 May cause an allergic skin reaction.



**ANTRACOL WP70 1X10KG BAG UA**Version 4 / EU  
1020000070399/9  
Revision Date: 28.04.2016  
Print Date: 14.11.2017

H332 Harmful if inhaled.  
H373 May cause damage to organs through prolonged or repeated exposure.  
H400 Very toxic to aquatic life.

**Abbreviations and acronyms**

ADN European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways  
ADR European Agreement concerning the International Carriage of Dangerous Goods by Road  
ATE Acute toxicity estimate  
CAS-Nr. Chemical Abstracts Service number  
Conc. Concentration  
EC-No. European community number  
ECx Effective concentration to x %  
EINECS European inventory of existing commercial substances  
ELINCS European list of notified chemical substances  
EN European Standard  
EU European Union  
IATA International Air Transport Association  
IBC International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk (IBC Code)  
ICx Inhibition concentration to x %  
IMDG International Maritime Dangerous Goods  
LCx Lethal concentration to x %  
LDx Lethal dose to x %  
LOEC/LOEL Lowest observed effect concentration/level  
MARPOL MARPOL: International Convention for the prevention of marine pollution from ships  
N.O.S. Not otherwise specified  
NOEC/NOEL No observed effect concentration/level  
OECD Organization for Economic Co-operation and Development  
RID Regulations concerning the International Carriage of Dangerous Goods by Rail  
TWA Time weighted average  
UN United Nations  
WHO World health organisation

The information contained within this Safety Data Sheet is in accordance with the guidelines established by Regulation (EU) 1907/2006 and Regulation (EU) 2015/830 amending Regulation (EU) No 1907/2006 and any subsequent amendments. This data sheet complements the user's instructions, but does not replace them. The information it contains is based on the knowledge available about the product concerned at the time it was compiled. Users are further reminded of the possible risks of using a product for purposes other than those for which it was intended. The required information complies with current EEC legislation. Addressees are requested to observe any additional national requirements.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.