



BELT SC480 12X1L BOT UA

Version 2 / EU
1020000109801/9
Revision Date: 22.10.2014
Print Date: 14.11.2017

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Trade name BELT SC480 12X1L BOT UA
Product code (UVP) 06364705

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use Insecticide

1.3 Details of the supplier of the safety data sheet

Supplier Bayer AG
Kaiser-Wilhelm-Allee 1
51373 Leverkusen
Germany

Telefax +49(0)2173-38-7394

Responsible Department Product Safety and Specification Management
+49(0)2173-38-3409 (during business hours only)
Email: BCS-SDS@bayer.com

1.4 Emergency telephone no.

Emergency telephone no. ZCUST-X01.00000178
+1 (760) 476-3964 (Company 3E for Bayer AG, Crop Science Division)

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Acute aquatic toxicity: Category 1
H400 Very toxic to aquatic life.

Chronic aquatic toxicity: Category 1
H410 Very toxic to aquatic life with long lasting effects.

Classification according to EU Directives 67/548/EEC or 1999/45/EC

N Dangerous for the environment, R50/53

2.2 Label elements

Labelling in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Hazard label for supply/use required.

Hazardous components which must be listed on the label:

- Flubendiamide



Signal word: Warning

**BELT SC480 12X1L BOT UA**Version 2 / EU
1020000109802/9
Revision Date: 22.10.2014
Print Date: 14.11.2017**Hazard statements**

H410	Very toxic to aquatic life with long lasting effects.
EUH208	Contains 1,2-Benzisothiazolin-3-one, 5-chloro-2-methyl-isothiazol-3-one/2-methyl-isothiazol-3-one. May produce an allergic reaction.
EUH401	To avoid risks to human health and the environment, comply with the instructions for use.

Precautionary statements

P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P501	Dispose of contents/container in accordance with local regulation.

2.3 Other hazards

No other hazards known.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**3.2 Mixtures****Chemical nature**Suspension concentrate (=flowable concentrate)(SC)
Flubendiamide 480 g/l**Hazardous components**R-phrase(s) according to EC directive 67/548/EEC
Hazard statements according to Regulation (EC) No. 1907/2006

Name	CAS-No. / EC-No.	Classification		Conc. [%]
		EC Directive 67/548/EEC	Regulation (EC) No 1272/2008	
Flubendiamide	272451-65-7 608-064-7	Not classified	Not classified	39,40
Glycerine	56-81-5 200-289-5	Not classified	Not classified	> 1,00
1,2-Benzisothiazol-3(2H)-one	2634-33-5 220-120-9	Xn; R22 Xi; R38, R41 R43 N; R50	Acute Tox. 4, H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Acute 1, H400	> 0,005 – < 0,05
Mixture of 5-Chlor-2-methyl-3(2H)-isothiazolon and 2-Methyl-2H-isothiazol-3-on	55965-84-9	T; R23/24/25 C; R34 R43 N; R50/53	Acute Tox. 3, H331 Acute Tox. 3, H311 Acute Tox. 3, H301 Skin Corr. 1B, H314 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	> 0,0002 – < 0,0015

Further information

Substances which do not meet the classification criteria according to Directive 67/548/EEC as amended:

Glycerine (56-81-5): Substance with an EU indicative Occupational Exposure Limit value (OEL) below the threshold value for reporting.

1,2-Propanediol (57-55-6): Substance with an EU indicative Occupational Exposure Limit value (OEL)

**BELT SC480 12X1L BOT UA**Version 2 / EU
1020000109803/9
Revision Date: 22.10.2014
Print Date: 14.11.2017

below the threshold value for reporting.

For the full text of the R-phrases/ Hazard statements mentioned in this Section, see Section 16.

SECTION 4: FIRST AID MEASURES**4.1 Description of first aid measures**

General advice	Move out of dangerous area. Place and transport victim in stable position (lying sideways). Remove contaminated clothing immediately and dispose of safely.
Inhalation	Move to fresh air. Keep patient warm and at rest. Call a physician or poison control center immediately.
Skin contact	Wash off thoroughly with plenty of soap and water, if available with polyethyleneglycol 400, subsequently rinse with water. If symptoms persist, call a physician.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Do NOT induce vomiting. Call a physician or poison control center immediately.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms No symptoms known or expected.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment Treat symptomatically. In case of ingestion gastric lavage should be considered in cases of significant ingestions only within the first 2 hours. However, the application of activated charcoal and sodium sulphate is always advisable. There is no specific antidote.

SECTION 5: FIREFIGHTING MEASURES**5.1 Extinguishing media**

Suitable Water spray, Carbon dioxide (CO₂), Foam, Sand

5.2 Special hazards arising from the substance or mixture In the event of fire the following may be released: Hydrogen cyanide (hydrocyanic acid), Hydrogen fluoride, Carbon monoxide (CO), Sulphur oxides, Nitrogen oxides (NO_x)

5.3 Advice for firefighters

Special protective equipment for fire-fighters In the event of fire and/or explosion do not breathe fumes. In the event of fire, wear self-contained breathing apparatus.

Further information Contain the spread of the fire-fighting media. Do not allow run-off from fire fighting to enter drains or water courses.

**BELT SC480 12X1L BOT UA**Version 2 / EU
1020000109804/9
Revision Date: 22.10.2014
Print Date: 14.11.2017**SECTION 6: ACCIDENTAL RELEASE MEASURES****6.1 Personal precautions, protective equipment and emergency procedures**

Precautions Avoid contact with spilled product or contaminated surfaces. Use personal protective equipment.

6.2 Environmental precautions Do not allow to get into surface water, drains and ground water.

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Clean contaminated floors and objects thoroughly, observing environmental regulations. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections Information regarding safe handling, see section 7.
Information regarding personal protective equipment, see section 8.
Information regarding waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE**7.1 Precautions for safe handling**

Advice on safe handling Use only in area provided with appropriate exhaust ventilation.

Hygiene measures Avoid contact with skin, eyes and clothing. Keep working clothes separately. Wash hands before breaks and immediately after handling the product. Remove soiled clothing immediately and clean thoroughly before using again. Garments that cannot be cleaned must be destroyed (burnt).

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers Store in original container. Keep containers tightly closed in a dry, cool and well-ventilated place. Store in a place accessible by authorized persons only. Keep away from direct sunlight.

Advice on common storage Keep away from food, drink and animal feedingstuffs.

Suitable materials HDPE (high density polyethylene)

7.3 Specific end uses Refer to the label and/or leaflet.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**8.1 Control parameters**

Components	CAS-No.	Control parameters	Update	Basis
Flubendiamide	272451-65-7	0,5 mg/m ³ (TWA)		OES BCS*

*OES BCS: Internal Bayer CropScience "Occupational Exposure Standard"

8.2 Exposure controls

**BELT SC480 12X1L BOT UA**Version 2 / EU
1020000109805/9
Revision Date: 22.10.2014
Print Date: 14.11.2017**Personal protective equipment**

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection

Respiratory protection is not required under anticipated circumstances of exposure.
Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's instructions regarding wearing and maintenance.

Hand protection

Wear CE Marked (or equivalent) nitrile rubber gloves (minimum thickness of 0,4 mm). Wash when contaminated and dispose of when contaminated inside, when perforated or when contamination on the outside cannot be removed. Wash hands frequently and always before eating, drinking, smoking or using the toilet.

Eye protection

Wear goggles (conforming to EN166, Field of Use = 5 or equivalent).

Skin and body protection

Wear standard coveralls and Category 3 Type 6 suit.
If there is a risk of significant exposure, consider a higher protective type suit.
Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and should be professionally laundered frequently.
If chemical protection suit is splashed, sprayed or significantly contaminated, decontaminate as far as possible, then carefully remove and dispose of as advised by manufacturer.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**9.1 Information on basic physical and chemical properties**

Form	suspension
Colour	white to light beige
Odour	weak, characteristic
pH	6,5 - 7,5 at 100 % (23 °C)
Flash point	>100 °C No flash point - Determination conducted up to the boiling point.
Density	ca. 1,22 g/cm ³ at 20 °C
Water solubility	miscible
Partition coefficient: n-octanol/water	Flubendiamide: log Pow: 4,2 at 25 °C

9.2 Other information

Further safety related physical-chemical data are not known.

**BELT SC480 12X1L BOT UA**Version 2 / EU
1020000109806/9
Revision Date: 22.10.2014
Print Date: 14.11.2017

SECTION 10: STABILITY AND REACTIVITY**10.1 Reactivity****Thermal decomposition** Stable under normal conditions.**10.2 Chemical stability** Stable under recommended storage conditions.**10.3 Possibility of hazardous reactions** No hazardous reactions when stored and handled according to prescribed instructions.**10.4 Conditions to avoid** Extremes of temperature and direct sunlight.**10.5 Incompatible materials** Store only in the original container.

SECTION 11: TOXICOLOGICAL INFORMATION**11.1 Information on toxicological effects****Acute oral toxicity** LD50 (rat) > 2.000 mg/kg**Acute inhalation toxicity** LC50 (rat) > 2,564 mg/l
Exposure time: 4 h
Highest attainable concentration.
Determined in the form of a respirable aerosol.**Acute dermal toxicity** LD50 (rat) > 4.000 mg/kg**Skin irritation** No skin irritation (rabbit)**Eye irritation** No eye irritation (rabbit)**Sensitisation** Non-sensitizing. (guinea pig)
OECD Test Guideline 406, Buehler test**Assessment repeated dose toxicity**

Flubendiamide did not cause specific target organ toxicity in experimental animal studies.

Assessment Mutagenicity

Flubendiamide was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Assessment Carcinogenicity

Flubendiamide was not carcinogenic in lifetime feeding studies in rats and mice.

Assessment toxicity to reproduction

Flubendiamide did not cause reproductive toxicity in a two-generation study in rats.

Assessment developmental toxicity

Flubendiamide did not cause developmental toxicity in rats and rabbits.

SECTION 12: ECOLOGICAL INFORMATION**12.1 Toxicity****Toxicity to fish** LC50 (Oncorhynchus mykiss (rainbow trout)) > 250 mg/l
Exposure time: 96 h

**BELT SC480 12X1L BOT UA**Version 2 / EU
1020000109807/9
Revision Date: 22.10.2014
Print Date: 14.11.2017**Toxicity to aquatic invertebrates**EC50 (Water flea (Daphnia magna)) 0,0065 mg/l
Exposure time: 48 h**Toxicity to aquatic plants**IC50 (Pseudokirchneriella subcapitata) > 0,07 mg/l
Exposure time: 72 h
The value mentioned relates to the active ingredient.
No acute toxicity was observed at its limit of water solubility.**12.2 Persistence and degradability****Biodegradability**Flubendiamide:
not rapidly biodegradable**Koc**

Flubendiamide: Koc: 2197

12.3 Bioaccumulative potential**Bioaccumulation**Flubendiamide: Bioconcentration factor (BCF) 73
Does not bioaccumulate.**12.4 Mobility in soil****Mobility in soil**

Flubendiamide: Slightly mobile in soils

12.5 Results of PBT and vPvB assessment**PBT and vPvB assessment**

Flubendiamide: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).

12.6 Other adverse effects**Additional ecological information**

No other effects to be mentioned.

SECTION 13: DISPOSAL CONSIDERATIONS**13.1 Waste treatment methods****Product**

In accordance with current regulations and, if necessary, after consultation with the site operator and/or with the responsible authority, the product may be taken to a waste disposal site or incineration plant.

Contaminated packaging

Not completely emptied packagings should be disposed of as hazardous waste.

Waste key for the unused product**020108** agrochemical waste containing dangerous substances**SECTION 14: TRANSPORT INFORMATION****ADR/RID/ADN**

14.1 UN number

3082

14.2 Proper shipping name

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
N.O.S.
(FLUBENDIAMIDE)

14.3 Transport hazard class(es)

9

14.4 Packing group

III

14.5 Environm. Hazardous Mark

YES

Hazard no.

90

Tunnel Code

E

**BELT SC480 12X1L BOT UA**Version 2 / EU
1020000109808/9
Revision Date: 22.10.2014
Print Date: 14.11.2017

This classification is in principle not valid for carriage by tank vessel on inland waterways. Please refer to the manufacturer for further information.

IMDG

14.1 UN number	3082
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (FLUBENDIAMIDE)
14.3 Transport hazard class(es)	9
14.4 Packing group	III
14.5 Marine pollutant	YES

IATA

14.1 UN number	3082
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (FLUBENDIAMIDE)
14.3 Transport hazard class(es)	9
14.4 Packing group	III
14.5 Environm. Hazardous Mark	YES

14.6 Special precautions for user

See sections 6 to 8 of this Safety Data Sheet.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No transport in bulk according to the IBC Code.

SECTION 15: REGULATORY INFORMATION**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****Further information**

WHO-classification: III (Slightly hazardous)

15.2 Chemical Safety Assessment

A chemical safety assessment is not required.

SECTION 16: OTHER INFORMATION**Text of R-phrases mentioned in Section 3**

R22	Harmful if swallowed.
R23/24/25	Toxic by inhalation, in contact with skin and if swallowed.
R34	Causes burns.
R38	Irritating to skin.
R41	Risk of serious damage to eyes.
R43	May cause sensitisation by skin contact.
R50	Very toxic to aquatic organisms.
R50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Text of the hazard statements mentioned in Section 3

H301	Toxic if swallowed.
H302	Harmful if swallowed.



BELT SC480 12X1L BOT UA

Version 2 / EU
102000010980

9/9
Revision Date: 22.10.2014
Print Date: 14.11.2017

H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H331	Toxic if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

The information contained within this Safety Data Sheet is in accordance with the guidelines established by Regulation (EU) 1907/2006 and Regulation (EU) 453/2010 amending Regulation (EU) No 1907/2006 (and any subsequent amendments). This data sheet complements the user's instructions, but does not replace them. The information it contains is based on the knowledge available about the product concerned at the time it was compiled. Users are further reminded of the possible risks of using a product for purposes other than those for which it was intended. The required information complies with current EEC legislation. Addressees are requested to observe any additional national requirements.

Reason for Revision: Safety Data Sheet according to Regulation (EU) No. 453/2010.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.