



**DECIS EC100 12X1L BOT UA**

Version 7 / EU  
102000002876

1/12  
Revision Date: 21.06.2018  
Print Date: 10.10.2018

**SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**

**1.1 Product identifier**

**Trade name** DECIS EC100 12X1L BOT UA  
**Product code (UVP)** 05943388

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

**Use** Insecticide

**1.3 Details of the supplier of the safety data sheet**

**Supplier** Bayer AG  
Kaiser-Wilhelm-Allee 1  
51373 Leverkusen  
Germany

**Telefax** +49(0)2173-38-7394

**Responsible Department** Substance Classification & Registration  
+49(0)2173-38-3409 (during business hours only)  
Email: BCS-SDS@bayer.com

**1.4 Emergency telephone no.**

**Emergency telephone no.** Global Incident Response Hotline (24h)  
+1 (760) 476-3964 (Company 3E for Bayer AG, Crop Science Division)

**SECTION 2: HAZARDS IDENTIFICATION**

**2.1 Classification of the substance or mixture**

**Classification in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.**

Flammable liquids: Category 3  
H226 Flammable liquid and vapour.

Acute toxicity: Category 4  
H302 Harmful if swallowed.

Aspiration hazard: Category 1  
H304 May be fatal if swallowed and enters airways.

Serious eye damage: Category 1  
H318 Causes serious eye damage.

Acute toxicity: Category 4  
H332 Harmful if inhaled.

Specific target organ toxicity - single exposure: Category 3  
H335 May cause respiratory irritation.

Specific target organ toxicity - single exposure: Category 3  
H336 May cause drowsiness or dizziness.



## DECIS EC100 12X1L BOT UA

Version 7 / EU  
102000002876

2/12  
Revision Date: 21.06.2018  
Print Date: 10.10.2018

Acute aquatic toxicity: Category 1  
H400 Very toxic to aquatic life.

Chronic aquatic toxicity: Category 1  
H410 Very toxic to aquatic life with long lasting effects.

### 2.2 Label elements

**Labelling in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.**

Hazard label for supply/use required.

**Hazardous components which must be listed on the label:**

- Deltamethrin
- Solvent Naphtha (petroleum), light aromatic
- Cyclohexanone



**Signal word:** Danger

### Hazard statements

H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H318	Causes serious eye damage.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.
H410	Very toxic to aquatic life with long lasting effects.
EUH066	Repeated exposure may cause skin dryness or cracking.
EUH401	To avoid risks to human health and the environment, comply with the instructions for use.

### Precautionary statements

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P280	Wear protective gloves/ protective clothing/ eye protection.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308 + P311	IF exposed or concerned: Call a POISON CENTER/ doctor/ physician.
P331	Do NOT induce vomiting.
P501	Dispose of contents/container in accordance with local regulation.

### 2.3 Other hazards

Cutaneous sensations may occur, such as burning or stinging on the face and mucosae. However, these sensations cause no lesions and are of a transitory nature (max. 24 hours).

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.2 Mixtures

**DECIS EC100 12X1L BOT UA**Version 7 / EU  
102000028763/12  
Revision Date: 21.06.2018  
Print Date: 10.10.2018**Chemical nature**Emulsifiable concentrate (EC)  
Deltamethrin 100 g/l**Hazardous components**

Hazard statements according to Regulation (EC) No. 1272/2008

Name	CAS-No. / EC-No. / REACH Reg. No.	Classification	Conc. [%]
		REGULATION (EC) No 1272/2008	
Deltamethrin	52918-63-5 258-256-6	Aquatic Acute 1, H400 Acute Tox. 3, H301 Acute Tox. 3, H331 Aquatic Chronic 1, H410	10,50
2-Methylpropan-1-ol	78-83-1 201-148-0 01-2119484609-23-XXXX	Eye Dam. 1, H318 STOT SE 3, H336 Skin Irrit. 2, H315 Flam. Liq. 3, H226 STOT SE 3, H335	> 1,00 – < 3,00
2,6-Di-tert-butyl-4-methylphenol	128-37-0 204-881-4 01-2119555270-46-xxxx	Aquatic Acute 1, H400 Aquatic Chronic 1, H410	> 0,10 – < 0,25
Cyclohexanone	108-94-1 203-631-1	Acute Tox. 4, H302 Acute Tox. 4, H312 Acute Tox. 4, H332 Skin Irrit. 2, H315 Eye Dam. 1, H318 Flam. Liq. 3, H226	> 1,00 – < 40,00
Solvent Naphtha (petroleum), light aromatic	64742-95-6 265-199-0 01-2119486773-24-xxxx	Flam. Liq. 3, H226 STOT SE 3, H336 STOT SE 3, H335 Asp. Tox. 1, H304 Aquatic Chronic 2, H411	> 20,00
Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts	68953-96-8 273-234-6 01-2119964467-24-xxxx	Acute Tox. 4, H312 Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 2, H411	>= 1,00 – < 5,00

**Further information**

Deltamethrin	52918-63-5	M-Factor: 1.000.000 (acute), 1.000.000 (chronic)
2,6-Di-tert-butyl-4-methylphenol	128-37-0	M-Factor: 1 (acute)
		M-Factor: 1 (chronic)

Substances for which there are Community workplace exposure limits:  
Cyclohexanone (108-94-1)

For the full text of the H-Statements mentioned in this Section, see Section 16.



## **DECIS EC100 12X1L BOT UA**

Version 7 / EU  
102000002876

**4/12**  
Revision Date: 21.06.2018  
Print Date: 10.10.2018

### **SECTION 4: FIRST AID MEASURES**

#### **4.1 Description of first aid measures**

<b>General advice</b>	Move out of dangerous area. Place and transport victim in stable position (lying sideways). Remove contaminated clothing immediately and dispose of safely.
<b>Inhalation</b>	Move to fresh air. Keep patient warm and at rest. Call a physician or poison control center immediately.
<b>Skin contact</b>	Immediately wash with plenty of soap and water for at least 15 minutes. Warm water may increase the subjective severity of the irritation/paresthesia. This is not a sign of systemic poisoning. In case of skin irritation, application of oils or lotions containing vitamin E may be considered. If symptoms persist, call a physician.
<b>Eye contact</b>	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Warm water may increase the subjective severity of the irritation/paresthesia. This is not a sign of systemic poisoning. Apply soothing eye drops, if needed anaesthetic eye drops. Get medical attention if irritation develops and persists.
<b>Ingestion</b>	Rinse out mouth and give water in small sips to drink. Do NOT induce vomiting. Do not leave victim unattended. Call a physician or poison control center immediately.

#### **4.2 Most important symptoms and effects, both acute and delayed**

<b>Symptoms</b>	Local:, Skin and eye paraesthesia which may be severe, Usually transient with resolution within 24 hours, Skin, eye and mucous membrane irritation, Cough, Sneezing  Systemic:, discomfort in the chest, tachycardia, Hypotension, Nausea, Abdominal pain, Diarrhoea, Vomiting, Blurred vision, Headache, Anorexia, Somnolence, Coma, Convulsions, Tremors, Prostration, Airway hyperreaction, Pulmonary oedema, Palpitation, Muscular fasciculation, Apathy, Dizziness
-----------------	---

#### **4.3 Indication of any immediate medical attention and special treatment needed**

<b>Risks</b>	This product contains a pyrethroid. Pyrethroid poisoning should not be confused with carbamate or organophosphate poisoning.
<b>Treatment</b>	Systemic treatment: Initial treatment: symptomatic. Monitor: respiratory and cardiac functions. In case of ingestion gastric lavage should be considered in cases of significant ingestions only within the first 2 hours. However, the application of activated charcoal and sodium sulphate is always advisable. Keep respiratory tract clear. Oxygen or artificial respiration if needed. In case of convulsions, a benzodiazepine (e.g. diazepam) should be given according to standard regimens. If not effective, phenobarbital may be used. Contraindication: atropine. Contraindication: derivatives of adrenaline. There is no specific antidote. Recovery is spontaneous and without sequelae.  In case of skin irritation, application of oils or lotions containing vitamin E may be considered.



## **DECIS EC100 12X1L BOT UA**

Version 7 / EU  
102000002876

5/12  
Revision Date: 21.06.2018  
Print Date: 10.10.2018

---

### **SECTION 5: FIREFIGHTING MEASURES**

#### **5.1 Extinguishing media**

**Suitable** Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

**5.2 Special hazards arising from the substance or mixture** Dangerous gases are evolved in the event of a fire.

#### **5.3 Advice for firefighters**

**Special protective equipment for firefighters** In the event of fire and/or explosion do not breathe fumes. In the event of fire, wear self-contained breathing apparatus.

**Further information** Contain the spread of the fire-fighting media. Do not allow run-off from fire fighting to enter drains or water courses.

---

### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

#### **6.1 Personal precautions, protective equipment and emergency procedures**

**Precautions** Avoid contact with spilled product or contaminated surfaces. Remove all sources of ignition. Use personal protective equipment.

**6.2 Environmental precautions** Do not allow to get into surface water, drains and ground water.

#### **6.3 Methods and materials for containment and cleaning up**

**Methods for cleaning up** Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Clean contaminated floors and objects thoroughly, observing environmental regulations. Keep in suitable, closed containers for disposal.

**6.4 Reference to other sections** Information regarding safe handling, see section 7.  
Information regarding personal protective equipment, see section 8.  
Information regarding waste disposal, see section 13.

---

### **SECTION 7: HANDLING AND STORAGE**

#### **7.1 Precautions for safe handling**

**Advice on safe handling** Use only in area provided with appropriate exhaust ventilation.

**Advice on protection against fire and explosion** Keep away from heat and sources of ignition. Take measures to prevent the build up of electrostatic charge. Vapours may form explosive mixture with air.

**Hygiene measures** Avoid contact with skin, eyes and clothing. Keep working clothes separately. Wash hands before breaks and immediately after handling the product. Remove soiled clothing immediately and clean thoroughly

**DECIS EC100 12X1L BOT UA**Version 7 / EU  
102000028766/12  
Revision Date: 21.06.2018  
Print Date: 10.10.2018

before using again. Garments that cannot be cleaned must be destroyed (burnt).

**7.2 Conditions for safe storage, including any incompatibilities**

**Requirements for storage areas and containers** Keep containers tightly closed in a dry, cool and well-ventilated place. Store in a place accessible by authorized persons only. Store in original container. Keep away from direct sunlight.

**Advice on common storage** Keep away from food, drink and animal feedingstuffs.

**Suitable materials** Black mild steel sheet with interior coating

**7.3 Specific end use(s)** Refer to the label and/or leaflet.

**SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION****8.1 Control parameters**

Components	CAS-No.	Control parameters	Update	Basis
Deltamethrin	52918-63-5	0,01 mg/m <sup>3</sup> (TWA)		OES BCS*
2,6-Di-tert-butyl-4-methylphenol	128-37-0	2 mg/m <sup>3</sup> (TLV)		OES BCS*
Cyclohexanone	108-94-1	40,8 mg/m <sup>3</sup> /10 ppm (TWA)	12 2009	EU ELV
Cyclohexanone	108-94-1	81,6 mg/m <sup>3</sup> /20 ppm (STEL)	12 2009	EU ELV
Cyclohexanone	108-94-1	40,8 mg/m <sup>3</sup> /10 ppm (TWA)	2014	EU SCOELS
Cyclohexanone	108-94-1	81,6 mg/m <sup>3</sup> /20 ppm (STEL)	2014	EU SCOELS
Solvent Naphtha (petroleum), light aromatic	64742-95-6	116 mg/m <sup>3</sup> /20 ppm (TWA)	2014	EU SCOELS
Solvent Naphtha (petroleum), light aromatic	64742-95-6	290 mg/m <sup>3</sup> /50 ppm (STEL)	2014	EU SCOELS

\*OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

**8.2 Exposure controls****Personal protective equipment**

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

**Respiratory protection**

Wear respirator with an organic vapours and gas filter mask (protection factor 10) conforming to EN140 type A or equivalent. Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's instructions regarding wearing and maintenance.

**Hand protection**

Please observe the instructions regarding permeability and

**DECIS EC100 12X1L BOT UA**Version 7 / EU  
1020000028767/12  
Revision Date: 21.06.2018  
Print Date: 10.10.2018

breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.

Wash gloves when contaminated. Dispose of when contaminated inside, when perforated or when contamination on the outside cannot be removed. Wash hands frequently and always before eating, drinking, smoking or using the toilet.

Material	Nitrile rubber
Rate of permeability	> 480 min
Glove thickness	> 0,4 mm
Protective index	Class 6
Directive	Protective gloves complying with EN 374.

**Eye protection**

Wear goggles (conforming to EN166, Field of Use = 5 or equivalent).

**Skin and body protection**

Wear standard coveralls and Category 3 Type 6 suit.

If there is a risk of significant exposure, consider a higher protective type suit.

Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and should be professionally laundered frequently.

If chemical protection suit is splashed, sprayed or significantly contaminated, decontaminate as far as possible, then carefully remove and dispose of as advised by manufacturer.

**SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES****9.1 Information on basic physical and chemical properties**

<b>Form</b>	Liquid, clear
<b>Colour</b>	light yellow to brown
<b>Odour</b>	aromatic
<b>pH</b>	4,5 - 7,0 at 1 % (23 °C) (deionized water)
<b>Flash point</b>	40 °C
<b>Density</b>	ca. 0,95 g/cm <sup>3</sup> at 20 °C
<b>Water solubility</b>	miscible
<b>Partition coefficient: n-octanol/water</b>	Deltamethrin: log Pow: 6,4 at 25 °C Solvent Naphtha (petroleum), light aromatic: Not applicable
<b>Viscosity, kinematic</b>	ca. 1,77 mm <sup>2</sup> /s at 40 °C
<b>Surface tension</b>	ca. 29,8 mN/m at 40 °C

**9.2 Other information**

Further safety related physical-chemical data are not known.



## **DECIS EC100 12X1L BOT UA**

Version 7 / EU  
102000002876

8/12  
Revision Date: 21.06.2018  
Print Date: 10.10.2018

### **SECTION 10: STABILITY AND REACTIVITY**

#### **10.1 Reactivity**

**Thermal decomposition** Stable under normal conditions.

**10.2 Chemical stability** Stable under recommended storage conditions.

**10.3 Possibility of hazardous reactions** No hazardous reactions when stored and handled according to prescribed instructions.

**10.4 Conditions to avoid** Extremes of temperature and direct sunlight.

**10.5 Incompatible materials** Store only in the original container.

**10.6 Hazardous decomposition products** No decomposition products expected under normal conditions of use.

### **SECTION 11: TOXICOLOGICAL INFORMATION**

#### **11.1 Information on toxicological effects**

**Acute oral toxicity** LD50 (Rat) 633 mg/kg

**Acute inhalation toxicity** ATE (Mix) 2,4 mg/l  
Calculation method

**Acute dermal toxicity** LD50 (Rat) > 4.000 mg/kg

**Skin irritation** No skin irritation (Rabbit)

**Eye irritation** Severe eye irritation. (Rabbit)

**Sensitisation** Non-sensitizing. (Guinea pig)  
OECD Test Guideline 406, Buehler test

#### **Assessment STOT Specific target organ toxicity – single exposure**

Deltamethrin: Based on available data, the classification criteria are not met.  
Solvent Naphtha (petroleum), light aromatic: May cause respiratory irritation., Solvent Naphtha (petroleum), light aromatic: May cause drowsiness or dizziness.

#### **Assessment STOT Specific target organ toxicity – repeated exposure**

Deltamethrin caused neurobehavioral effects and/or neuropathological changes in animal studies. The toxic effects of Deltamethrin are related to transient hyperactivity typical for pyrethroid neurotoxicity.  
Solvent Naphtha (petroleum), light aromatic: Based on available data, the classification criteria are not met.

#### **Assessment mutagenicity**

Deltamethrin was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.  
Solvent Naphtha (petroleum), light aromatic is not considered mutagenic.

#### **Assessment carcinogenicity**

Deltamethrin was not carcinogenic in lifetime feeding studies in rats and mice.  
Solvent Naphtha (petroleum), light aromatic: Based on available data, the classification criteria are not met.



**DECIS EC100 12X1L BOT UA**Version 7 / EU  
1020000028769/12  
Revision Date: 21.06.2018  
Print Date: 10.10.2018**Assessment toxicity to reproduction**

Deltamethrin did not cause reproductive toxicity in a two-generation study in rats.  
Solvent Naphtha (petroleum), light aromatic: Based on available data, the classification criteria are not met.

**Assessment developmental toxicity**

Deltamethrin caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Deltamethrin are related to maternal toxicity.  
Solvent Naphtha (petroleum), light aromatic: This information is not available.

**Aspiration hazard**

May be fatal if swallowed and enters airways.

**Further information**

Cutaneous sensations may occur, such as burning or stinging on the face and mucosae. However, these sensations cause no lesions and are of a transitory nature (max. 24 hours).

---

**SECTION 12: ECOLOGICAL INFORMATION****12.1 Toxicity**

<b>Toxicity to fish</b>	LC50 (Oncorhynchus mykiss (rainbow trout)) 0,0051 mg/l Exposure time: 96 h
<b>Toxicity to aquatic invertebrates</b>	EC50 (Daphnia magna (Water flea)) 0,00078 mg/l Exposure time: 48 h
<b>Toxicity to aquatic plants</b>	EC50 (Raphidocelis subcapitata (freshwater green alga)) 29,5 mg/l Biomass; Exposure time: 72 h  EC50 (Raphidocelis subcapitata (freshwater green alga)) > 72,6 mg/l Growth rate; Exposure time: 72 h

**12.2 Persistence and degradability**

<b>Biodegradability</b>	Deltamethrin: Not rapidly biodegradable Solvent Naphtha (petroleum), light aromatic: rapidly biodegradable
<b>Koc</b>	Deltamethrin: Koc: 10240000

**12.3 Bioaccumulative potential**

<b>Bioaccumulation</b>	Deltamethrin: Bioconcentration factor (BCF) 1.400 Does not bioaccumulate. Solvent Naphtha (petroleum), light aromatic: No data available
------------------------	---

**12.4 Mobility in soil**

<b>Mobility in soil</b>	Deltamethrin: Immobile in soil Solvent Naphtha (petroleum), light aromatic: Slightly mobile in soils
-------------------------	---

**12.5 Results of PBT and vPvB assessment**

<b>PBT and vPvB assessment</b>	Deltamethrin: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be
--------------------------------	--

**DECIS EC100 12X1L BOT UA**Version 7 / EU  
10200000287610/12  
Revision Date: 21.06.2018  
Print Date: 10.10.2018

very persistent and very bioaccumulative (vPvB).  
Solvent Naphtha (petroleum), light aromatic: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).

**12.6 Other adverse effects**

**Additional ecological information** No other effects to be mentioned.

**SECTION 13: DISPOSAL CONSIDERATIONS****13.1 Waste treatment methods**

**Product** In accordance with current regulations and, if necessary, after consultation with the site operator and/or with the responsible authority, the product may be taken to a waste disposal site or incineration plant.

**Contaminated packaging** Not completely emptied packagings should be disposed of as hazardous waste.

**Waste key for the unused product** **02 01 08\*** agrochemical waste containing hazardous substances

**SECTION 14: TRANSPORT INFORMATION****ADR/RID/ADN**

14.1 UN number **1993**  
14.2 Proper shipping name **FLAMMABLE LIQUID, N.O.S.  
(DELTAMETHRIN, SOLVENT NAPHTHA (PETROLEUM)  
LIGHT AROMATIC SOLUTION)**

14.3 Transport hazard class(es) **3**  
14.4 Packaging Group **III**  
14.5 Environm. Hazardous Mark **YES**  
Hazard no. **30**  
Tunnel Code **D/E**

This classification is in principle not valid for carriage by tank vessel on inland waterways. Please refer to the manufacturer for further information.

**IMDG**

14.1 UN number **1993**  
14.2 Proper shipping name **FLAMMABLE LIQUID, N.O.S.  
(DELTAMETHRIN, SOLVENT NAPHTHA (PETROLEUM)  
LIGHT AROMATIC SOLUTION)**

14.3 Transport hazard class(es) **3**  
14.4 Packaging Group **III**  
14.5 Marine pollutant **YES**

**IATA**

14.1 UN number **1993**  
14.2 Proper shipping name **FLAMMABLE LIQUID, N.O.S.**



**DECIS EC100 12X1L BOT UA**

Version 7 / EU  
102000002876

11/12  
Revision Date: 21.06.2018  
Print Date: 10.10.2018

	(DELTAMETHRIN, SOLVENT NAPHTHA (PETROLEUM) LIGHT AROMATIC SOLUTION )
14.3 Transport hazard class(es)	3
14.4 Packaging Group	III
14.5 Environm. Hazardous Mark	NO

**14.6 Special precautions for user**

See sections 6 to 8 of this Safety Data Sheet.

**14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code**

No transport in bulk according to the IBC Code.

---

**SECTION 15: REGULATORY INFORMATION**

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

**Further information**

WHO-classification: II (Moderately hazardous)

**15.2 Chemical safety assessment**

A chemical safety assessment is not required.

---

**SECTION 16: OTHER INFORMATION**

**Text of the hazard statements mentioned in Section 3**

H226	Flammable liquid and vapour.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

**Abbreviations and acronyms**

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute toxicity estimate
CAS-Nr.	Chemical Abstracts Service number
Conc.	Concentration
EC-No.	European community number

**DECIS EC100 12X1L BOT UA**Version 7 / EU  
10200000287612/12  
Revision Date: 21.06.2018  
Print Date: 10.10.2018

ECx	Effective concentration to x %
EINECS	European inventory of existing commercial substances
ELINCS	European list of notified chemical substances
EN	European Standard
EU	European Union
IATA	International Air Transport Association
IBC	International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk (IBC Code)
ICx	Inhibition concentration to x %
IMDG	International Maritime Dangerous Goods
LCx	Lethal concentration to x %
LDx	Lethal dose to x %
LOEC/LOEL	Lowest observed effect concentration/level
MARPOL	MARPOL: International Convention for the prevention of marine pollution from ships
N.O.S.	Not otherwise specified
NOEC/NOEL	No observed effect concentration/level
OECD	Organization for Economic Co-operation and Development
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
TWA	Time weighted average
UN	United Nations
WHO	World health organisation

The information contained within this Safety Data Sheet is in accordance with the guidelines established by Regulation (EU) 1907/2006 and Regulation (EU) 2015/830 amending Regulation (EU) No 1907/2006 and any subsequent amendments. This data sheet complements the user's instructions, but does not replace them. The information it contains is based on the knowledge available about the product concerned at the time it was compiled. Users are further reminded of the possible risks of using a product for purposes other than those for which it was intended. The required information complies with current EEC legislation. Addressees are requested to observe any additional national requirements.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.
--