



PREVICUR ENERGY SL840 12X1L BOT UA

Version 8 / EU
102000004473

1/9
Revision Date: 23.09.2016
Print Date: 14.11.2017

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Trade name PREVICUR ENERGY SL840 12X1L BOT UA
Product code (UVP) 06396712, 81705194

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use Fungicide

1.3 Details of the supplier of the safety data sheet

Supplier Bayer AG
Kaiser-Wilhelm-Allee 1
51373 Leverkusen
Germany

Telefax +49(0)2173-38-7394

Responsible Department Substance Classification & Registration
+49(0)2173-38-3409 (during business hours only)
Email: BCS-SDS@bayer.com

1.4 Emergency telephone no.

Emergency telephone no. Global Incident Response Hotline (24h)
+1 (760) 476-3964 (Company 3E for Bayer AG, Crop Science Division)

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Skin sensitisation: Category 1
H317 May cause an allergic skin reaction.

2.2 Label elements

Labelling in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Hazard label for supply/use required.

Hazardous components which must be listed on the label:

- Propamocarb
- Fosetyl



Signal word: Warning

Hazard statements

**PREVICUR ENERGY SL840 12X1L BOT UA**Version 8 / EU
1020000044732/9
Revision Date: 23.09.2016
Print Date: 14.11.2017

H317 May cause an allergic skin reaction.
EUH401 To avoid risks to human health and the environment, comply with the instructions for use.

Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection.
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
P501 Dispose of contents/container in accordance with local regulation.

2.3 Other hazards

No other hazards known.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**3.2 Mixtures****Chemical nature**

Soluble concentrate (SL)
Propamocarb/Fosetyl 530:310 g/l

Hazardous components

Hazard statements according to Regulation (EC) No. 1272/2008

Name	CAS-No. / EC-No. / REACH Reg. No.	Classification	Conc. [%]
		REGULATION (EC) No 1272/2008	
Propamocarb	24579-73-5	Skin Sens. 1, H317	47,30
Fosetyl	15845-66-6	Eye Dam. 1, H318	27,70

Further information

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: FIRST AID MEASURES**4.1 Description of first aid measures**

General advice Move out of dangerous area. Remove contaminated clothing immediately and dispose of safely.

Inhalation Move the victim to fresh air and keep at rest. If symptoms persist, call a physician.

Skin contact Wash off with soap and water. If symptoms persist, call a physician.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. If eye irritation or redness persists, see an ophthalmologist.

Ingestion Do NOT induce vomiting. Rinse mouth. Call a physician or poison control center immediately.



PREVICUR ENERGY SL840 12X1L BOT UA

Version 8 / EU
102000004473

3/9
Revision Date: 23.09.2016
Print Date: 14.11.2017

4.2 Most important symptoms and effects, both acute and delayed

Symptoms The following symptoms may occur: Lethargy, Ataxia, Spasm, Local: sensitising effects

4.3 Indication of any immediate medical attention and special treatment needed

Risks This product, although being a carbamate, is NOT a cholinesterase inhibitor.

Treatment Appropriate supportive and symptomatic treatment as indicated by the patient's condition is recommended. There is no specific antidote. Contraindication: atropine. Gastric lavage is not normally required. However, if a significant amount (more than a mouthful) has been ingested, administer activated charcoal and sodium sulphate.

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Unsuitable High volume water jet

5.2 Special hazards arising from the substance or mixture In the event of fire the following may be released: Hydrogen chloride (HCl), Hydrogen cyanide (hydrocyanic acid), Carbon monoxide (CO), Oxides of phosphorus, Nitrogen oxides (NOx)

5.3 Advice for firefighters

Special protective equipment for firefighters In the event of fire and/or explosion do not breathe fumes. In the event of fire, wear self-contained breathing apparatus.

Further information Contain the spread of the fire-fighting media. Do not allow run-off from fire fighting to enter drains or water courses.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Precautions Avoid contact with spilled product or contaminated surfaces. Use personal protective equipment.

6.2 Environmental precautions Do not allow to get into surface water, drains and ground water.

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Clean contaminated floors and objects thoroughly, observing environmental regulations. Keep in suitable, closed containers for disposal.

Additional advice Check also for any local site procedures.



PREVICUR ENERGY SL840 12X1L BOT UA

Version 8 / EU
102000004473

4/9
Revision Date: 23.09.2016
Print Date: 14.11.2017

6.4 Reference to other sections Information regarding safe handling, see section 7.
Information regarding personal protective equipment, see section 8.
Information regarding waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Advice on safe handling Use only in area provided with appropriate exhaust ventilation.
Advice on protection against fire and explosion No special precautions required.
Hygiene measures Avoid contact with skin, eyes and clothing. Keep working clothes separately. Wash hands before breaks and immediately after handling the product. Shower or bathe at the end of working. Remove soiled clothing immediately and clean thoroughly before using again.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers Keep containers tightly closed in a dry, cool and well-ventilated place. Store in original container. Store in a place accessible by authorized persons only. Protect from freezing. Keep away from direct sunlight.
Advice on common storage Keep away from food, drink and animal feedingstuffs.
Suitable materials HDPE (high density polyethylene)
7.3 Specific end use(s) Refer to the label and/or leaflet.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Propamocarb	24579-73-5	1,1 mg/m ³ (TWA)		OES BCS*

*OES BCS: Internal Bayer CropScience "Occupational Exposure Standard"

8.2 Exposure controls

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection Respiratory protection is not required under anticipated circumstances of exposure.
Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's instructions regarding wearing and maintenance.

Hand protection

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the

**PREVICUR ENERGY SL840 12X1L BOT UA**Version 8 / EU
1020000044735/9
Revision Date: 23.09.2016
Print Date: 14.11.2017

contact time.

Wash gloves when contaminated. Dispose of when contaminated inside, when perforated or when contamination on the outside cannot be removed. Wash hands frequently and always before eating, drinking, smoking or using the toilet.

Material	Nitrile rubber
Rate of permeability	> 480 min
Glove thickness	> 0,4 mm
Protective index	Class 6
Directive	Protective gloves complying with EN 374.

Eye protection

Wear goggles (conforming to EN166, Field of Use = 5 or equivalent).

Skin and body protection

Wear standard coveralls and Category 3 Type 4 suit.
If there is a risk of significant exposure, consider a higher protective type suit.
Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and should be professionally laundered frequently.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**9.1 Information on basic physical and chemical properties**

Form	Liquid
Colour	colourless to light yellow
Odour	odourless
pH	6,0 - 7,5 at 100 % (23 °C)
Flash point	> 120 °C at 1.013 hPa
Ignition temperature	300 °C
Density	ca. 1,12 g/cm ³ at 20 °C
Water solubility	completely miscible
Partition coefficient: n-octanol/water	Propamocarb: log Pow: 0,84 Fosetyl: log Pow: -0,70
Viscosity, kinematic	36,9 mm ² /s at 40 °C
Surface tension	59 mN/m at 20 °C Determined as a 1% solution in distilled water.
Explosivity	Not explosive 92/69/EEC, A.14 / OECD 113

9.2 Other information

Further safety related physical-chemical data are not known.



PREVICUR ENERGY SL840 12X1L BOT UA

Version 8 / EU
102000004473

6/9
Revision Date: 23.09.2016
Print Date: 14.11.2017

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

Thermal decomposition Stable under normal conditions.

10.2 Chemical stability Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions No hazardous reactions when stored and handled according to prescribed instructions.

10.4 Conditions to avoid Extremes of temperature and direct sunlight.

10.5 Incompatible materials Store only in the original container.

10.6 Hazardous decomposition products No decomposition products expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute oral toxicity LD50 (Rat) > 2.000 mg/kg

Acute inhalation toxicity (Rat) > 2,27 mg/l
Exposure time: 4 h
Highest attainable concentration.

Acute dermal toxicity LD50 (Rat) > 2.000 mg/kg

Skin irritation No skin irritation (Rabbit)

Eye irritation No eye irritation (Rabbit)

Sensitisation Sensitising (Mouse)
OECD Test Guideline 429, local lymph node assay (LLNA)

Assessment STOT Specific target organ toxicity – repeated exposure

Propamocarb did not cause specific target organ toxicity in experimental animal studies.
Fosetyl Aluminium did not cause specific target organ toxicity in experimental animal studies.

Assessment mutagenicity

Propamocarb was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.
Fosetyl Aluminium was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Assessment carcinogenicity

Propamocarb was not carcinogenic in lifetime feeding studies in rats and mice.
Fosetyl Aluminium was not carcinogenic in lifetime feeding studies in rats and mice.

Assessment toxicity to reproduction

Propamocarb did not cause reproductive toxicity in a two-generation study in rats.
Fosetyl Aluminium did not cause reproductive toxicity in a two-generation study in rats.

Assessment developmental toxicity

Propamocarb caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Propamocarb are related to maternal toxicity.



PREVICUR ENERGY SL840 12X1L BOT UA

Version 8 / EU
102000004473

7/9
Revision Date: 23.09.2016
Print Date: 14.11.2017

Fosetyl Aluminium did not cause developmental toxicity in rats and rabbits.

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)) > 98 mg/l
Exposure time: 96 h

Toxicity to aquatic invertebrates EC50 (Daphnia magna (Water flea)) > 97 mg/l
Exposure time: 48 h

Toxicity to aquatic plants EC50 (Raphidocelis subcapitata (freshwater green alga)) > 97 mg/l
Exposure time: 72 h

12.2 Persistence and degradability

Biodegradability Propamocarb:
rapidly biodegradable
Fosetyl Aluminium:
rapidly biodegradable

Koc Propamocarb: Koc: 719
Fosetyl Aluminium: Koc: 0,1

12.3 Bioaccumulative potential

Bioaccumulation Propamocarb:
Does not bioaccumulate.
Fosetyl Aluminium:
Does not bioaccumulate.

12.4 Mobility in soil

Mobility in soil Propamocarb: Slightly mobile in soils
Fosetyl Aluminium: Highly mobile in soils

12.5 Results of PBT and vPvB assessment

PBT and vPvB assessment Propamocarb: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).
Fosetyl: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).

12.6 Other adverse effects

Additional ecological information No other effects to be mentioned.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods



PREVICUR ENERGY SL840 12X1L BOT UA

Version 8 / EU
102000004473

8/9
Revision Date: 23.09.2016
Print Date: 14.11.2017

Product	In accordance with current regulations and, if necessary, after consultation with the site operator and/or with the responsible authority, the product may be taken to a waste disposal site or incineration plant.
Contaminated packaging	Not completely emptied packagings should be disposed of as hazardous waste.
Waste key for the unused product	02 01 08* agrochemical waste containing dangerous substances

SECTION 14: TRANSPORT INFORMATION

According to ADN/ADR/RID/IMDG/IATA not classified as dangerous goods.

This classification is in principle not valid for carriage by tank vessel on inland waterways. Please refer to the manufacturer for further information.

14.1 – 14.5 Not applicable.

14.6 Special precautions for user

See sections 6 to 8 of this Safety Data Sheet.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

No transport in bulk according to the IBC Code.

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Further information

WHO-classification: III (Slightly hazardous)

15.2 Chemical Safety Assessment

A chemical safety assessment is not required.

SECTION 16: OTHER INFORMATION

Text of the hazard statements mentioned in Section 3

H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.

Abbreviations and acronyms

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute toxicity estimate
CAS-Nr.	Chemical Abstracts Service number
Conc.	Concentration
EC-No.	European community number

**PREVICUR ENERGY SL840 12X1L BOT UA**Version 8 / EU
1020000044739/9
Revision Date: 23.09.2016
Print Date: 14.11.2017

ECx	Effective concentration to x %
EINECS	European inventory of existing commercial substances
ELINCS	European list of notified chemical substances
EN	European Standard
EU	European Union
IATA	International Air Transport Association
IBC	International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk (IBC Code)
ICx	Inhibition concentration to x %
IMDG	International Maritime Dangerous Goods
LCx	Lethal concentration to x %
LDx	Lethal dose to x %
LOEC/LOEL	Lowest observed effect concentration/level
MARPOL	MARPOL: International Convention for the prevention of marine pollution from ships
N.O.S.	Not otherwise specified
NOEC/NOEL	No observed effect concentration/level
OECD	Organization for Economic Co-operation and Development
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
TWA	Time weighted average
UN	United Nations
WHO	World health organisation

The information contained within this Safety Data Sheet is in accordance with the guidelines established by Regulation (EU) 1907/2006 and Regulation (EU) 2015/830 amending Regulation (EU) No 1907/2006 and any subsequent amendments. This data sheet complements the user's instructions, but does not replace them. The information it contains is based on the knowledge available about the product concerned at the time it was compiled. Users are further reminded of the possible risks of using a product for purposes other than those for which it was intended. The required information complies with current EEC legislation. Addressees are requested to observe any additional national requirements.

Reason for Revision: Safety Data Sheet according to Regulation (EU) No. 2015/830. Section 2: Hazards Identification. Section 3: Composition / Information on Ingredients. Section 8: Exposure Controls / Personal Protection. Section 11: Toxicological Information.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.